

Hydrogen Specific Monitoring Solutions:

- In-Line Process Hydrogen Monitor
- Fixed Area Hydrogen Monitor
- Handheld Hydrogen Leak Detector




*The Leading Provider of Hydrogen Sensor Systems
That Supports Critical, Real-Time Monitoring and
Control Functions for the Growing Hydrogen Economy*

HYDROGEN SPECIFIC MONITORING SOLUTIONS



HYDROGEN SPECIFIC SENSING SYSTEMS



Whether to ensure the safety and protection of personnel or to effectively monitor industrial processes, many industries can benefit from hydrogen detecting technology. H2scan has responded to the needs of these industries by developing innovative, hydrogen specific technology solutions.

H2scan provides state-of-the-art leak detection, process gas monitoring or both! Whatever you need, H2scan hydrogen specific sensing systems are uniquely able to detect and measure hydrogen against virtually any background gases without false readings and the expensive support equipment common with other systems.

H2scan systems detect and measure hydrogen in a wide variety of gas backgrounds in seconds down to 15 parts per million concentrations. Standard systems range from a handheld portable leak-detection unit to fixed area leak-detection monitors and in-line real-time monitors for various process gas streams.

DESIGNED SPECIFICALLY FOR THE MOST DEMANDING APPLICATIONS

H2scan systems are programmable to customer-specific levels of hydrogen detection and all feature analog and digital output to communicate data back to an operator, display or process monitoring system.

THE WIDE RANGE HYDROGEN SENSOR

H2scan systems powered by the Wide Range Sensor - WRS provides a comprehensive, cost-effective solution for all of your hydrogen sensing and process monitoring needs.



WIDE RANGE HYDROGEN SENSOR

It is **CRITICAL** to reliably monitor the presence of hydrogen gas wherever it is produced, used, stored or transported. H2scan systems are solid-state solutions that detect concentrations of hydrogen gas with or without oxygen present in concentrations from 15 parts per million to 100% hydrogen by volume.

H2scan systems implement monitoring based on our patented “Chip on a Flex” technology. The sensors utilize palladium alloy thin films to measure hydrogen in PPM and H₂ concentrations. The PPM level sensor incorporates a hydrogen specific capacitor and the percent level sensor incorporates a hydrogen specific resistor. Hydrogen measurements are done in a molecular level using MOS dual circuit configuration. H2scan’s hydrogen specific systems incorporate proprietary firmware and signal conditioning systems to display hydrogen levels in real-time. No additional sampling or conditioning is necessary. A sophisticated temperature control loop compensates for external temperature variations.

The sensor also features a temperature sensing element and an on-board heater. Using these, H2scan systems maintain the sensor substrate at a constant temperature. This elevated, controlled temperature assures that sensor operation is unaffected by ambient or process gas temperature.

ADVANTAGES

- Tolerant to:
 - CO
 - CO₂
 - Hydrocarbons
 - H₂S
 - He
- Fast Response
- Operational in the Absence of Oxygen
- Effectively Reads Concentration of Hydrogen for Stationary, Portable and Process Monitoring Applications
- User Friendly Interface:
 - 0-5 V or 4-20 mA
 - RS-422 or RS-232

With advanced capabilities and a robust design, H2scan products support a variety of applications and background environments for both the present and the future.

**PETROLEUM REFINERIES/
PETRO CHEMICAL PLANTS**

UOP
ConocoPhillips
ExxonMobil



INDUSTRIAL MANUFACTURING

Novellus
Celerity
Heraeus
Praxair
Air Products



UTC
Ballard
Hydrogenics
Toyota
Santa Clara Valley Transit Authority

FUEL CELL TECHNOLOGIES



This includes effective monitoring capabilities with or without the presence of oxygen, as well as miniaturization for meeting cost and size constraints.



CHLOR ALKALI MANUFACTURING

Akzo Nobel
Dow Chemical
Solvay
Sabic
Carbocloro

LEAK DETECTION

Air Liquide
Linde Gas
EDF



NUCLEAR

Battelle
Bechtel
Meggitt
EDF
KHNP

All product and company names are the property of their respective owners



HY-ALERTA SAFETY SYSTEMS

The HY-ALERTA™ 500 Handheld Hydrogen Leak Detector provides state-of-the-art portable hydrogen leak detection. This detector will effectively locate the source of a hydrogen leak before it becomes a major problem.

KEY ADVANTAGES:

- Auto zero feature eliminates the need for frequent recalibrations
- Visual indication and detection of a hydrogen leak
- Fast response times



The HY-ALERTA™ 600 Fixed Area Hydrogen Monitor is ideal for protecting any areas where hydrogen is used or stored. It provides continuous monitoring capability 24 hours a day and can be linked to alarm systems for the safe shutdown of a facility.

KEY ADVANTAGES:

- Real-time safety monitoring
- No false alarms from other combustible gases or compounds
- Long product life expectancy with recommended recalibration schedule



HY-OPTIMA PROCESS MONITORING SYSTEMS

The HY-OPTIMA™ 700 In-Line Process Hydrogen Monitor is ideal for real-time monitoring of hydrogen concentrations in a variety of gas streams. Its fast response and excellent accuracy enables the users to monitor their operations more efficiently.

KEY ADVANTAGES:

- Real-time, in-line monitoring for process optimization and control
- Operates in multiple background gases (with or without O₂)
- No cross sensitivity to other combustible gases

Consult the datasheets for complete specifications



*The Leading Provider of Hydrogen Sensor Systems
That Supports Critical, Real-Time Monitoring and
Control Functions for the Growing Hydrogen Economy*

HYDROGEN SPECIFIC MONITORING SOLUTIONS

CORPORATE HEADQUARTERS

H2SCAN CORPORATION
28486 Westinghouse Place, Suite 100
Valencia, California 91355

Telephone: (661) 775-9575

FAX: (661) 775-9515

Email: sales@h2scan.com

www.h2scan.com