PRODUCT SPECIFICATIONS


SPECTRA FIELD PRO

Professional Grade Peristaltic Pump



INTRODUCTION

The Spectra Scientific Field Pro™ III is the leading Professional Grade Peristaltic Pump on the market. Built upon 20 years of continuous design improvements the Field Pro is the only Peristaltic Pump in the Market to have three different versions with each being an improvement over the previous.







FEATURES

- All in one Design Battery and Charger Located inside
- Top-Angled Pump Head Away from Ground Contaminants
- Vial Holders and 4300cm3 of Toolbox Space
- Ability to act as a 12V Pump Controller
- Smart Electronics allow speed to remain constant for 90% of life
- Built in Alligator Clips for Emergency Charging









Spectra Field Pro™III Peristaltic Pump

Specifications		
	Field Pro III	
Pump Material	Powdered Alluminum	Instrument accessories Standard Accessories
Pump Weight	23 lbs	 Spectra Field Pro III Peristaltic Pump Internal Battery and
Pump Dimensions	16.5' x 10.5' x 9.0'	
Power Source	12V DC or 240V AC	ChargerAlligator Clips
Pump Head	Easy Load II	
IP Rating	IP65	Optional Accessories
Flow Rate	25 - 650 ml/min	Silicone Tubing
Battery	8 Hours	Groundwater FiltersFootvalves
Toolbox Space	4300cm3 + 3 Vial Holders	1 doctarves

Additional Information

The Spectra Scientific Field Pro is the industry standard award winning Groundwater Sampling Pump. With over 20 years of design and manufacturing experience the Field Pro is one of the most rugged and reliable pumps on the market. Designed for Low Flow sampling the Field Pro can acheive industry leading flow rates as low as 25ml/min. Compared with other Environmental Sampling Pumps the Field Pro is unique with a Top-Angled Pump Head away from ground contaminants and 4300cm3 of vial and tool space. All enclosed in a rugged Alluminum casing to ensure protection from the harshest climates.

Find out more at www.spectrascientific.com

